# **GEARWRENCH**



See page 16 for the details.



## FEATURES:

- > Heavy duty construction powder coated full polished coating protects against scratches
- > 17 x auto return drawers with trigger lock mechanism across the whole drawer handle
- > Double ball bearing on drawers offers exceptional load capacity & easy slide action
- > Stainless steel top
- > Hutch has 2 x power boards & 2 x 600mm LED lights
- > Swivel castor wheels

## Dimensions

Trolley: 1829 x 622 x 1100mm Hutch: 1829 x 622 x 813mm Side Locker x 2 : 750 x 622 x 1915mm Full Mega Storage: 3,329 x 622 x 1915mm





# **GU GEARWRENCH**

# **NEW!**

\$499.00

28" Short Side Cabinet 83260

## FEATURES:

- > Heavy duty construction powder coated full polished coating protects against scratches
- > Doors can be fitted to open from left or right hand side
- > 4 swivel / lockable caster wheels
- > Polished aluminium handle
- > 2 adjustable shelves
- > 10mm EVA matt

## Dimensions:

712 X 461 X 1089mm













# **NEW!**

**\$749**.00

28" Tall Side Cabinet 83261

## FEATURES:

- > Heavy duty construction powder coated full polished coating protects against scratches
- > Doors can be fitted to open from left or right hand side
- > 4 swivel / lockable caster wheels
- > Polished aluminium handle
- > 3 adjustable shelves

## Dimensions:

712 X 461 X 1619mm

















\$3,099<sup>.00</sup>





# TOOLKIT



Clam shell lid



Trigger lock Bumpers on all Heavy duty drawer system corners handles



x4 swivel castor wheels. 2 wheels are locking



Double ball-bearing drawers Barrel style lock & key



Rubber access grommet on chests Dual gas shocks on lid



Wider & stronger reinforced frame





**DIMENSIONS:** 1092mm (43") 8 Drawer Tool Chest + 1193mm (43") Tool Trolley 11 Drawers



\$6,329<sup>.00</sup>

657 Pc. Combination Tool Kit + 28" Chests (x2) + 58" Trolley + Side Cabinets (x2) 77021















**DIMENSIONS:** 2 x 711mm (28") Tool Chests 7 Drawers + 1547mm (58") Tool Trolley 10 Drawers + 2x 355mm Side Cabinets



# 41 Pc. 1/4" Drive MicroDriver Set GWMBS41

72T Ratchet, 2 Adaptors, 6" Extension, Magnetic Strip

/2T Raicher, 2 Adaptors, 5 Extended Sockets: SAE 9/16, 1/2, 7/16, 3/8, 5/16 & 1/4" METRIC 14, 13, 12, 10 & 8 mm TORX BITS T50, T45, T40, T30, T25 & T20 SLOTTED BITS 5/16, 9/32, 7/32 & 5/32" PHILLIPS BITS PH4, PH3, PH2 x 2, PH1 SOUARE BITS S3, S2 & S1

SAE



# HEX KEY SETS

# 9 Pc. Torx® Long Arm Hex **Key Set** 83522



- Keys made with alloy steel for maximum strength and to resist rotational distortion Chamfered edges on both ends help guide the
- key into the fastener smoothly and quickly



T8, T9, T10, T15, T20, T25, T27, T30 & T40



# 8 Pc. Metric Ball End T-Handle Hex Key Set 83520



- Ball End design provides increased access, increasing entry angle to 25 degrees
- Keys made with alloy steel for maximum strength and to resist rotational distortion
- Chamfered edges on both ends help guide the key into the fastener smoothly and quickly

## Set Includes:

2, 2.5, 3, 4, 5, 6, 8 & 10mm

# 25 Pc. SAE/Metric/Torx® Folding Hex Key Set 83512





- Keys made with alloy steel for maximum strength and to resist rotational distortion
- Chamfered edges on both ends help guide the key into the fastener smoothly and quickly

## Set Includes:

- 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32 & 1/4" 1.5, 2, 2.5, 3, 4, 5, 6 & 8mm T9, T10, T15, T20, T25, T27, T30 & T40

# 26 Pc. SAE/Metric Ball End Long Arm Hex Key Set 83505

METRIC SAE



- Keys made with alloy steel for maximum strength and to resist rotational distortion
- Chamfered edges on both ends help guide the key into the fastener smoothly and quickly

- > 0.05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 & 3/8" > 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 9 & 10mm

# 5.00

# 10 Pc. SAE Ball End T-Handle Hex Key Set 83523





- Ball End design provides increased access, increasing entry angle to 25 degrees Keys made with alloy steel for maximum strength and
- to resist rotational distortion
- Chamfered edges on both ends help guide the key into the fastener smoothly and quickly

3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, & 3/8"

# **Q**.00

## 36 Pc. Master Torx® Set with Hex Socket Bits 80726





## Set Includes:

- > 1/4" Drive Internal Torx® Sockets T10 T30
- 1/4" Drive External Torx® Sockets E5 E8
- 3/8" Drive Internal Torx® Sockets T40 T55
- 3/8" Drive External Torx® Sockets E10 E16
  3/8" Drive Metric Hex Bits 2 mm 10mm
- 3/8" Drive SAE Hex Bits 5/32" 3/8"
- > 1/2" Drive External Torx Socket E18



## 84 Pc. Torx® & Hex Bit Socket Set 80742





## Set Includes:

- Metric Standard Hex Bits 2.5 mm 19 mm > Torx Long Bits T8 T50
- Metric Long Ball End Hex 4 mm 10mm
- SAE Standard Hex Bits 1/8" 3/4"
- Torx Standard Bits T8 T60
- E-Torx Standard Bits E4 E24
  - Tamper Proof Torx® Bits T8 T60
  - > Blow Mold Case







MANGANESE PHOSPHATE COATING





**\$329**.95

24 Pc. Ratcheting Wrench Metric & SAE EVA Tray 83990N

5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 & 13/16"

7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm

EVA DIMENSIONS: 555 x 395 x 30mm



32 Pc. 1/4", 3/8" & 1/2" Drive Hex and Torx® Bit Set in EVA Tray





EVA DIMENSIONS: 395 x 160 x 30mm

## Set Includes:

> 1/2" Drive TORX: T60

> 1/4" Drive TORX: T10, T15, T20, T25, T27, T30

3/8" Drive HEX: 4, 5, 6, 7, 8, 9, 10 mm

3/16, 7/32, 1/4, 5/16 & 3/8" in

SAF

18 Pc. 1/2" Drive 6 Point Deep Socket Metric & SAE Set in EVA Tray 83995



1/2"



EVA DIMENSIONS: 395 x 160 x 30mm

## Set Includes:

Metric: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

SAE: 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8 & 15/16"

31 Pc. Combination Long Pattern Wrench Metric & SAE Set in EVA Tray

83991








EVA DIMENSIONS: 555 x 395 x 30mm

> Metric: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23 & 24mm

> SAE: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 & 1"

25 Pc 3/8" Drive 6 Point Deep Socket Metric & SAE Set in EVA Tray





EVA DIMENSIONS: 395 x 160 x 30mm

## Set Includes:

Metric: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm SAE: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16 & 7/8"

14 Pc. Screwdriver & Plier Set in EVA Tray 83993



# Set Includes:

> Phillips #2 x 4, #3 x 6, #1 x 3 & #2 x 1-1/2" in

Slotted 5/16 x 6, 1/4 x 4, 3/16 x 4 & 1/8 x 3" in

> 7" Straight Fixed Tip External & 7" Internal > 8" Dipped Linesman Plier, 8" Diagonal Plier & 8" Long Nose Plier

> 10" Dipped V-Jaw Tongue and Groove Pliers

90 Pc. 1/4", 3/8" & 1/2" Drive Metric & SAE

Socket Set in EVA Tray 83992







## Set Includes:

1/4" Drive: 10 x Metric | 9 x SAE Sockets 3/8" Drive: 10 x Metric | 8 x SAE Sockets

> 1/2" Drive: 19 x Metric | 14 x SAE Sockets

> Wobble Extensions



EVA DIMENSIONS: 555 x 395 x 30mm

EVA DIMENSIONS: 555 x 395 x 30mm

# 

# TURN ANY RUSTED OR ROUNDED FASTENER WITH BOLT BITER™

Whether you're faced with a rounded, rusted bolt or a stripped screw head, Bolt Biter fastener extraction tools are the solution. Bolt Biter Extraction Sockets reliably remove stubborn nuts and bolts, while new Bolt Biter Impact Screwdrivers concentrate shock and the torque to loosen severely damaged screws. Bolt Biter tools keep fastener extraction problems from slowing you down.



# **IMPACT SOCKET & BOLT BITER SETS**

# \$**39**.95

4 Pc. Bolt Biter™ Screw Extractor Set 84787



## Set Includes:

> Compatible with fastener sizes ≤ 1/4" – 5/8" & M5-M16

# **\$75**.00

7 Pc. 1/4" & 3/8" Drive Metric Bolt Biter™ Impact Extraction Socket Set 87911



## Set Includes:

> 8 (5/16"), 10, 12, 13, 14mm (9/16-")

# \$169<sup>.00</sup>

15 Pc. 1/4" & 3/8" Drive Bolt Biter™ Impact Extraction Socket Set 84783



## Set Includes:

> 1/4", 7mm, 8mm (5/16"), 3/8", 10mm, 11mm (7/16"), 12mm, 13- mm (1/2"), 13mm, 14mm (9/16-") 9/16", 16mm (5/8"), 17mm, 11/16" & 19mm (3/4")

# **\$179**.95

29 Pc. 3/8" Drive 6 Point Standard & Deep Impact Metric Socket Set

84925N





## Set Includes:

Standard Impact Sockets 8mm - 22mm
 Deep Impact Sockets 8mm - 22mm

Universal Joint

# \$44.95

2 Pc. Bolt Biter™ Dual Material Impact Extraction Screwdriver Set 86090



## Set Includes:

- > Phillips 2 x 102mm (4")
- > Slotted 1/4 x 102mm (4")

# \$75.00

7 Pc. 1/4" & 3/8" Drive SAE Bolt Biter™ Impact Extraction Socket Set



## Set Includes:

> 1/4", 8 (5/16"), 3/8", 11mm (7/16"), 13-mm (1/2")

# \$**299**.95

28 Pc. 1/4" & 3/8" Drive Bolt Biter™ Impact Extraction Socket Set 84784



## Set Includes:

> 1/4-", 1/4", 7-mm, 7mm, 8-mm (5/16-"), 8mm (5/16"), 3/8-", 3/8", 10-mm, 10mm, 11-mm, 11mm, 12-mm, 12mm, 1/2-", 13-mm (1/2"), 13mm, 14-mm, 14mm (9/16-"), 9/16", 16-mm, (5/8-"), 16mm (5/8"), 17-mm, 17mm & 11/16-", 11/16"

# **\$249**.95

29 Pc. 1/2" Drive 6 Point Deep Impact Metric Socket Set

84935N





## Set Includes:

> Deep Impact Socket 8 - 36mm

# **\$89**.95

8 Pc. 1/4" Drive Bolt Biter™ Impact Nut Extractor & Driver Set 86170



## Set Includes:

> 1/4", 7mm, 8mm (5/16"), 3/8", 10mm, 11mm (7/16"), 12mm, 13-mm (1/2")

# \$109<sup>.00</sup>

8 Pc. 1/4" & 3/8" Drive Bolt Biter™ Impact Extraction Socket Set 84782



## Set Includes:

> 7mm, 8mm (5/16"), 10mm, 11mm (7/16"), 12mm, 13mm, 14mm (9/16-"), 16mm (5/8")

# **\$299**.95

10 Pc. 1/2" Drive Bolt Biter™ Deep Extraction Socket Set 86071



## Set Includes:

> 19mm (3/4"), 19-mm (3/4- "), 21mm (13/16"), 21-mm (13/16-") 22mm (7/8"), 22-mm (7/8- "), 24mm (15/16-"), 25mm (1") & 25-mm (1-")

# **\$299**.95

39 Pc. 1/2" Drive 6 Point Standard & Deep Impact Metric Socket Set

84948N



## Set Includes:

- > Universal Joint
- > Standard Impact Socket 9mm 30mm
- > Deep Impact Socket 9mm 30mm

# **PRY BARS & PRY BAR SETS**

Designed for demolition, repositioning equipment, moving engines, industrial work & aligning steel components. GEARWRENCH pry bars have a compact design that is ideal for working in tight spaces with an adjustable head and extendable length. GEARWRENCH pry bars give you both strength & access.

# PRY BARS & AUTO SPECIALTY

508mm/20" x 838mm/33" Extendable **Indexing Pry Bar** 

82220



## LENGTH: 508 - 838mm (20" - 33")

- > Head rotates 180° through 14 locking positions
- Expandable & adjustable to reach areas inaccessible to a fixed head tool



3 Pc. Indexing Pry Bar Set 8", 10" & 16" 82301D



- > Head rotates 180° through 14 locking positions
- Compact design allows for work in tight spaces
- Smooth head profile fits into low access areas

3 Pc. Angled Tip Pry Bar Set 12", 17" & 25" 82403-05



- Improved leverage in medium and heavy duty automotive
- Angled tip for increased leverage and access in confined areas
- Black phosphate coating on the shaft to resist corrosion

152mm (6") Digital Vernier Caliper with Large LCD Screen 3757D



- Manufactured from hardened stainless steel
- Fine adjustment roller allows precise measurement to be taken quickly and easily
- > Digital selection button enables readings to be displayed in either metric or imperial format

736mm/29" x 1219mm/48" Extendable **Indexing Pry Bar** 82248



## LENGTH: 736 - 1219mm (29" - 48")

- > Head rotates 180° through 14 locking positions
- Expandable & adjustable to reach areas inaccessible to a fixed head tool



2 Pc. Indexing Pry Bar Set 8" & 16" 82300



- > Head rotates 180° through 14 locking positions
- Compact design allows for work in tight spaces
- Smooth head profile fits into low access areas



1/2" Drive Nylon Strap Oil Filter Wrench 3149



- > Use wrench on oil filters up to a 152mm (6") diameter
- Strong nylon belt will not slip
- Designed for use with a 1/2" square drive tool

15 Pc. Ratcheting Serpentine Belt Tool Set



## Set Includes:

- Crowfoot: 13, 14 & 15mm
- 6 point sockets: 13, 14, 15, 16, 17, 18 & 19mm
   Drive tools: long bar, ratcheting wrench, 3/8", 1/2" & 3/4" adapters



# 90T RATCHETING WRENCHES

90T ratcheting wrenches are perfect for tight situations technicians face everyday. Available in standard & stubby lengths and standard & reversible styles in the most common METRIC & SAE sizes.

- > 12 point ratcheting box end turns 6 and 12 point fasteners
- > Dual-direction off-corner loading reduces fastener rounding
- Longer beam for greater reach and leverage
- > Only requires 4 degrees of swing



19 (GIII) (GIE/ARVVIRENCH 901

# WRENCH SETS

10 Pc. 90T 12 Point Metric Stubby Ratcheting Combination Wrench Set

## METRIC

> 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm

ALSO AVAILABLE IN SAE:

7 Pc. 90T 12 Point SAE Stubby Ratcheting Combination Wrench Set 86858

3/8, 7/16, 1/2, 9/16, 5/8, 11/16 & 3/4"





12 Pc. 90T 12 Point Metric Reversible Ratcheting Wrench Set

86627

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm

ALSO AVAILABLE IN SAE:

10 Pc. 90T 12 Point SAE Reversible Ratcheting Wrench Set 86658

1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 & 3/4"



0

10

10

00

0

00

20

0

10



0

0

0

0

0

20

00

0

0

0

0

16 Pc. 90T 12 Point Metric Reversible **Ratcheting Wrench Set** 

86629

## Set Includes:

> 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 & 25mm

ALSO AVAILABLE IN SAE:

14 Pc. 90T 12 Point SAE Reversible Ratcheting Wrench Set 86660

1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 & 1"





10 Pc. 90T 12 Point Metric Stubby Flex Ratcheting Combination Wrench Set

> 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm



ALSO AVAILABLE IN SAE:

7 Pc. 90T 12 Point SAE Stubby Flex Ratcheting Combination Wrench Set 86878

3/8, 7/16, 1/2, 9/16, 5/8, 11/16 & 3/4"





12 Pc. 90T 12 Point Metric Flex Head **Ratcheting Combination Wrench Set** 

86727

> 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm

ALSO AVAILABLE IN SAE:



10 Pc. 90T 12 Point Flex Head Ratcheting Combination SAE Wrench Set 86758

1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 & 3/4"



.50

-50

40

150

50

50

50

.50

500





10

150

. 10

16 Pc. 90T 12 Metric Point Flex Head **Ratcheting Combination Wrench Set** 

86728

## Set Includes:

> 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 & 25mm

ALSO AVAILABLE IN SAE:

14 Pc. 90T 12 Point Flex Head Ratcheting Combination SAE Wrench Set 86759

1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 & 1"





50

50

50

50

....

1:0



# **90T RATCHETS**

90T ratchets have a 4° swing arc and a low-profile head for easier access to hard-to-turn fasteners.

Available in 1/4', 3/8", & 1/2" drive sizes, individually or in sets.

- Compact, low profile teardrop shaped head fits in < tighter spaces
- Available in a full polish chrome handle or solvent < resistant dual material comfort grip
- Exceeds ASME torque performance requirements

# RATCHETS & WRENCH SETS

1/2" Drive 90T Locking Flex Head Teardrop Ratchet 610mm (24") 81363T





EXTRA LONG 610mm (24")



3 Pc. 1/4", 3/8" & 1/2" Drive 90T Locking Flex Head Teardrop Ratchet Set 81276T



Set Includes: 1/4" Drive 178mm (7") 3/8" Drive 330mm (11")







12 Pc. 90T 12 Point Metric Combination **Ratcheting Wrench Set** 







1/2" Drive 432mm (17")

10 Pc. 90T 12 Point SAE Combination **Ratcheting Wrench Set** 





> 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm

16 Pc. 90T 12 Point Metric Combination **Ratcheting Wrench Set** 







14 Pc. 90T 12 Point SAE Combination **Ratcheting Wrench Set** 

> 1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 & 3/4"







> 1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 & 1"

# **99.00**

6 Pc. 90T 12 Point Metric GearBox™ **Double Flex Ratcheting Wrench Set** 





4 Pc. 90T 12 Point SAE GearBox™ **Double Flex Ratcheting Wrench Set** 





> 5/16 x 3/8, 7/16 x 1/2, 9/16 x 5/8 & 11/16 x 3/4"



# TORQUE PRODUCTS

No matter the industry, GEARWRENCH has the right torque wrench for the job. From structural steel framing to concrete anchor bolts to electrical clamps, GEARWRENCH torque wrenches meet or exceed ASME requirements for a wide range of fastener applications.



# **ELECTRONIC TORQUE WRENCHES**

1/4" 120XP™ Flex Head Electronic Torque Wrench with Angle







- > 120XP<sup>™</sup> head provides a 3° ratcheting arc to turn fasteners in narrow spaces
- > Torque accuracy of +/-2% CW and +/-3% CCW between 20% and 100% of wrench capability Angle settings offer +/-1% of reading of angle accuracy

3/8" 120XP™ Flex Head Electronic Torque Wrench with Angle







- > 120XP™ head provides a 3° ratcheting arc to turn fasteners in narrow spaces
- > Torque accuracy of +/-2% CW and +/-3% CCW between 20% and 100% of wrench capability Angle settings offer +/-1% of reading of angle accuracy

# \$649<sup>.95</sup>

1/2" 120XP™ Flex Head Electronic Torque Wrench with Angle







- > 120XP<sup>™</sup> head provides a 3° ratcheting arc to turn fasteners in narrow spaces
  > Torque accuracy of +/-2% CW and +/-3% CCW between 20% and 100% of wrench capability Angle settings offer +/-1% of reading of angle accuracy









LOW PROFILE HEAD

FLEX HEAD DESIGN

**MULTI-NOTIFICATIONS** 



# Weller®

# NEW Products!

www.weller-tools.com

\$**399**.00

NEW

ZeroSmog Shield Pro Fume Extractor FT91019299

PROTECT YOUR HEALTH Use **Zero**Smog

















- > Powerful blower with adjustable extraction power
- > Easy filter change, with filter status indication (green/red light)
- > Efficient particle and gas filtration, odour removal for single workbench

WE1010 240V/ 70W Digital Soldering Station T0053298599



- > 70 W solder iron with ergonomic handle and providing toolless tip change > Power unit, 1 channel with soldering iron WEP 70 and safety rest PH 70
- > ESD safe station, iron and heat-resistant silicon cable for safe handling

\$699.00

# NEW

Automatic Tip Cleaner with Fiber Brushes WATC100F







- > Automatic ON/OFF activation
- > Universal, fast cleaning of soldering tips and tweezers > Optimal tip care, extends the life of the tip compared to manual cleaning

Pyropen Self-Igniting Cordless Butane Powered Soldering Iron WPA2



ALSO AVAILABLE:			
T0051607499	Pyropen Butane Powered Self Igniting Jumbo Soldering Iron	\$384.90	
WSTA3	Pyropen Cordless Butane Powered Soldering Iron Kit	\$236.85	
PSI100K	Portasol Cordless Butane Soldering Iron Kit	\$219.95	

1.6mm 85g 60/40 Solder Wire ws1685



1mm 85g 60/40 Solder Wire ws1085



200g Butane Gas Refill Canister BR200



# HEAVY DUTY CUTTING

Crescent's industry leading heavy-duty cutting lineup makes tough cuts painless with the lowest force to cut in the market, lightweight design, and improved ergonomics.





9-1/2" Electrical Cable Cutter

CTO890ECC



Cuts 4/0 aluminum, 2/0 soft copper materials

- > Lower force to cut for a superior cutting performance
- Ergonomic, non-slip grips enhance control and reduce hand fatigue
   Optimised blades and pivot point for effortless cuts

7-1/2" Pocket Wire Rope and

Cable Cutter

CTO690WRC



Cuts soft wire rope up to 1/4"/8mm Cuts hard wire rope up to 3/16"/3mm

Cuts soft materials

up to 6.35mm/0.25'

60 HB and hard materials up to

3.8mm/0.15" in diameter at 48HRC

> Ergonomic, non-slip grips enhance control and reduce hand fatigue > Spring assisted opening for quick compound action in cutting

8-1/2" Compact Wire and Bolt Cutter

CT0890BWC





- Induction hardened cutting edges for ultimate durability
   Ergonomic, non-slip grips enhance control and reduce hand fatigue
- > Precision engineered, recessed throat notch holds material closer to the joint for maximum cutting leverage

\$**509**.95

1320mm/52" Rebar Cutter and Bender - 16mm/5/8" 0590RBJN





- Cuts and bends to 90° or 180°
  - > Mounts on most flat surfaces to enhance leverage and increase safety



9" Multi-Purpose Wire Cutter

CTMPWC9



Cuts 2.4 mm / 0.09" wire, up to 46HRC



- > 25% lower force to cut
- Effortless auto-unlock latch for quick and easy use
   Ergonomic, non-slip grips enhance control and reduce hand fatigue

> Optimal blade angle design allows for flush cuts and greater material access

9" Molding Miter/Fillet/ **Duckbill Snips CTM45RS** 



Cuts common small molding materials including PVC, MDF & pine

- > 33% lower force to cut provides a superior cutting performance
- Integrated measurements provide accuracy and efficiency
   Improved ergonomic, non-slip grips enhance control and reduce hand fatigue
   Blade can be sharpened for prolonged use

3/8" (#3) & 1/2 (#4) Indexing Rebar Bender



14-position indexing head allows total access for maximum leverage

ALSO	Δ\/Δ11	ARI F
ALSU	AVAIL	ADLL.

RB5 5/8" (#5) Indexing Rebar Bender \$212.85 RB6 3/4" (#6) Indexing Rebar Bender \$230.00

the industry standard. Today, we continue our legacy, revolutionising the original with enhanced features for fast fittings that are frustration free.









Off-Corner Loading
Helps prevent rounding off fasteners
and applying heavy torque



6" Adj. Wrench with Quick-Fit-Jaw AC36CVS



ALSO AVAILABLE:		
AC38CVS	8" Adj. Wrench with Quick-Fit-Jaw	\$39.95
AC310CVS	10" Adj. Wrench with Quick-Fit-Jaw	\$45.95
AC3812CVS	12" Adj. Wrench with Quick-Fit-Jaw	\$54.95

\$<mark>80</mark>.80

15" Adjustable Tapered Handle Wrench AC215VS



ALSO AVAILABLE:			
AC218VS	18" Adjustable Tapered Handle Wrench	\$161.65	
AC224VS	24" Adjustable Tapered Handle Wrench	\$236.20	
AC26VS	6" Adjustable Wrench	\$28.30	
AC24VS	4" Adjustable Wrench	\$25.15	
AC28VS	8" Adjustable Wrench	\$37.75	
AC210VS	10" Adjustable Wrench	\$41.95	
AC212VS	12" Adjustable Wrench	\$49.30	

6" Wide Jaw Adjustable Wrench ATWJ26VS



ALSO AVAILABLE:			
ATWJ28VS	8" Wide Jaw Adjustable Wrench	\$39.85	
ATWJ210VS	10" Wide Jaw Adjustable Wrench	\$49.30	
ATWJ212VS	12" Wide Jaw Adjustable Wrench	\$58.75	



16" Adjustable Black Oxide Construction Wrench



3 Pc. Adjustable Wrench Set

Each wrench meets the ASME performance requirements for the next size up

6", 8" & 12" AC26810 Example: 6" wrench meets the requirements for a 12" wrench

**7**.65

2 Piece Wide Jaw Adjustable Wrench Set **6" & 10"** ATWJ2610VS



# CRESCENT

# **CABLE TIES**







Strict tolerances ensure secure locking engagement and smooth tip insertion.

UV resistant & ROHS compliant.

100% Virgin UL approved Nylon ensures superior tensile strength.



Self-locking strap with closely spaced locking teeth for precise adjustments.

۸/R	451	חר		

WB4500	100mm x 2.5mm Black Cable Ties	500 pack	\$10.05
WB8500	200mm x 4.6mm Black Cable Ties	500 pack	\$29.80
WB12500	300mm x 4.8mm Black Cable Ties	500 pack	\$44.35
WB12100HD	300mm x 7.6mm Heavy Duty Black Cable Ties	100 pack	\$27.90
WB18100HD	450mm x 7.6mm Heavy Duty Black Cable Ties	100 pack	\$38.05
WB22100HD	530mm x 7.6mm Heavy Duty Black Cable Ties	100 pack	\$48.95



SCAN THE QR CODE & SUBSCRIBE TO THE CRESCENT NEWSLETTER

FOR YOUR CHANCE TO WIN



onetition ends 30th April 2025

\*Competition ends 30th April 2025.

Terms and conditions apply, see website for details. Offer only available to Australian residents.

RAW TOOLS

www.rawtools.com.au

Noel - 0409 660 943

The store advertised on the back page of this catalogue is an independent business. Whilst every effort is made to ensure that advertised stock is available at participating stores, due to factors beyond the control of Apex Tool Group Pty Ltd, not all products advertised in this catalogue will be available at all stores. Apex Tool Group Pty, Ltd. will do everything possible, within reason, to maintain stocks of advertised products, but cannot be responsible for unforeseen shortfalls beyond their control. Prices for the products are recommended retail, including GST. As regular prices may vary from store to store, the catalogue prices are calculated in good faith as the average regular price at the time of preparation. Apex Tool Group Pty, Ltd. reserves the right to correct pricing errors. All sizes shown are approximate only.

FOLLOW US







\$660

WWW.GEARWRENCH.COM.AU

WWW.CRESCENTTOOL.COM.AU