20V CORDLESS TOOLS

W3111

CORDLESS COMPACT 1/4" IMPACT DRIVER

- High Torque: 475 Nm (Breakaway) / 360 Nm (Fastening Up)
- Chuck: Quick Change 1/4"HFX
- Variable Speed Trigger
- Speed Modes: 3
- LED Shadowless Light Ring
- Kit includes dual voltage battery charger and 2 x 2.5Ah batteries



RGONOMICS

П Π

ERFORMANC

W3131

3/8" CORDLESS COMPACT IMPACT WRENCH

- 610 Nm of Breakaway Torque
- Impacts/Min: 4200 bpm
- Free Speed: 2800 rpmVariable Speed Trigger
- Speed Modes: 3
- LED Shadowless Light Ring
- Kit includes dual voltage battery charger and 2 x 5.0Ah batteries



\$749.00

W3151


1/2" CORDLESS COMPACT IMPACT WRENCH

- 610 Nm of Breakaway Torque
- Impacts/Min: 4200 bpmFree Speed: 2800 rpmVariable Speed Trigger

- Speed Modes: 3
 LED Shadowless Light Ring
- Kit includes dual voltage battery charger and 2 x 5.0Ah









- Powerful Brushless Motor
- Tough IPX6 Rated
- 2710Nm 'Breakaway" Torque
- 4 Anvil Options
- Shadowless LED Light RingDurable Metal Casing
- Variable Speed Trigger
- IQV Power Control SystemCompatible IQV20V Batteries
- Rubberised Bumpers
- Over-molded Grip Handle





2710Nm-lbs breakaway torque • Up to 33% faster than the leading competition • 10% less weight than pneumatic



SKINS

3/4" SQ DRIVE	W81/1	STANDARD	\$999.00
	W8571	6" EXTENDED	\$999.00
1" SQ	W8191	STANDARD	\$1049.00
DRIVE	W8591	6" EXTENDED	\$1049.00

(Includes Bare Tool, BC1121 Charger & (2) BL2022 Batteries) KITS

3/4" SQ	WO 1/ 1-KZ-AP 1	STANDARD	\$1299.00
DRIVE	W8571-K2-AP1	6" EXTENDED	\$1299.00
1" SQ	W8191-K2-AP1	STANDARD	\$1349.00
DRIVE	W8591-K2-AP1	6" EXTENDED	\$1349.00

H3111

IQV20TM CORDLESS HEAT GUN

- Max. Temp: 550C (1022F)
- Max Airflow: 10cfm
- Adjustable Speed · Adjustable Temp.
- Includes 3 Nozzles

H3111-K1-AP - KIT, also includes 1 x 20V BL2022 battery and BC1121









INF5101

IQV20TM CORDLESS TYRE INFLATOR

- Max. Press.: 150psi (10bar)
- Max Airflow: 18l/m
- Hose Length: 900mm (35")
- Live Digital display of pressure
- with battery capacity

 Automatic STOP and OFF
- Incl. 3 apaptors



(Note: SKIN ONLY - 20V 5.0Ah batteries not included)





20V CORDLESS TOOLS



D5241

C5101

• Strokes per minute: 3000 spm

Lightweight and durable

battery charger and 2 x 5.0Ah batteries

\$499.00

Stroke Length: 32mmHigh productivity: 20% faster than leading competitors

Safety trigger lockAdjustable shoe for blade durabilityKit includes dual voltage



G4621

CORDLESS POLISHER / SANDER

- Speed: 8300rpm
- Speed Settings: Two (2) modes
 Threaded Chuck with Spindle Lock
- LED Light Bar
- Brushless Motor
- Side Handle included
- Kit includes: 6 x attachments, dual voltage battery charger and 2 x 2.5Ah batteries









LUB5130

CORDLESS LUBE / GREASE GUN

- 400g (14oz.) Cannister capacity
- 3-way easy load system including cartridge
- 762mm grease hose
- Electronic shutdown and high-pressure LED indicator

 Kit includes dual voltage
- battery charger and 1 x 2.5Ah battery







G5351M

CORDLESS ANGLE GRINDER / CUT-OFF TOOL

- Wheel Size: 115 / 125mm (4.5 / 5")
- Wheel Types: Type 27 (Grinding / Type 1 (Cutting)
- Max. Free Speed: 8000rpm
- Spindle Lock (M14 Arbor)
- Automatic E-Brake and Anti-Kickback Protection
- Kit includes dual voltage battery charger and 2 x 5 0Ah batteries



20V CORDLESS COMBO KITS



GW51M52-K22

NEW

CORDLESS COMBO KIT

Kit includes:

- G5351M 4.5/5" Angle Grinder/Cut-Off Tool
- W7152 1/2" Impact Wrench
- 2 x 20V 5.0Ah batteries, battery charger and carry







CDGWW1152-K24

CORDLESS COMBO KIT

Kit includes:

- C5101 Reciprocating Saw
- D5241 1/2" Hammer Drill
- G5351M 4.5/5" Angle Grinder/Cut-Off Tool
- W3111 Compact 1/4" Impact Driver
 W7152 1/2" Impact Wrench
- 4 x 20V 5.0Ah batteries, battery charger and carry bag







CORDLESS COMBO KIT Kit includes: C5101 Reciprocating Saw G5351M 4.5/5" Angle Grinder/Cut-Off Tool W7152 1/2" Impact Wrench • 3 x 20V 5.0Ah batteries, battery charger and carry bag





W9X91

20V CORDLESS TOOLS



W7172

3/4" CORDLESS IMPACT WRENCH

- 2040 Nm of Nut Busting TorqueImpacts/Min: 4200 bpmFree Speed: 2800 rpm

- Torque Control: Four (4) settings
- LED Shadowless Light Ring with 4 dimmable settings
- Kit includes dual voltage battery charger and 2 x 5.0Ah batteries

\$799.00



\$1049.00

NEW







AIR TOOLS

140EP

307B

ENGRAVING PEN

- 11400 BPM (Blows per minute)
- Throttle Style: Slide
- High DurabilityErgonomically designedRubber grip and slender

1/4" DIE GRINDER

25000rpm free speed

0.33hp (0.25kW)

Integral safety lever

• 174mm long

1211MAX

RATCHET WRENCH

Contoured trigger

DRV" D4 model

• REDLINE Free Speed: 625 RPM Nut-Busting Torque: 108 Nm (80 ft-lbs)

• MAX Tightening Torque: 89 Nm (66 ft-lbs)

Constructed using premium components

Available with 3/8" DRV: D3 model and 1/2"

• 1/4" & 6mm collets supplied



320PG

- MAX Free Speed: 60000 RPM
 Collet Size: 1/8" (3mm)
 Throttle Style: Twist
 High Durability

- Ergonomically designed
- with TPU grip

 Low vibration and noise.
- Kit versions includes 5 x mounted points and 5 x carbide burrs in a hard case






301B

1/4" ANGLE DIE GRINDER

- 1/4" & 6mm collets supplied
- 21000rpm free speed
- 0.25hp (0.19kW)
- 134mm long
- Integral safety lever



08.00



125-A AIR NEEDLE SCALER

- · Blows: 4800bpm
- Bore Size: 25.4mm
- Piston Stroke: 28.6mm
- Needle: Qty 19 x 3mm
- Length: 465mm
- · Long life needle spring
- · Optional conversion to a chisel



Nut-Busting Torque: 4000Nm
Tightening Torque: 3000Nm
Four (4) power control modes
Up to 250 bolts per charge
Kit includes dual voltage

battery charger and 4 x 5.0Ah batteries

3445MAX-M / 345MAX-M **ANGLE GRINDER / CUT-OFF TOOL**

- Wheel Size: 115mm (4.5") / 125mm (5")
- Wheel Types: Type 27 (Grindling / Type 1, 27, 41, 42 (Cutting)
 Powerful: 0.88HP
- Max. Free Speed: 12000rpm
- Spindle Lock (M14 Arbor)
- Rear-piped away exhaust







360

BELT SANDER

- Belt Size: 360-313 = 10 x 330mm
- Belt Size: 360-418 = 13 x 457mm
- Arbor Speed: 20000 RPM
 Belt Speed: 4700 SFPM
 Motor Power: 0.6 HP

- Adjustable power regulator
- Tool-free articulating arm







121-K6

CIT C/W 0.401 shank













AIR TOOLS

36MAX

1/2" ULTRA COMPACT IMPACT TOOL

• 1050Nm Nut Busting Torque

- Only 117mm longLightweight only 1.1kgContoured composite
- housing for greater operator comfort
- Easy to use forward/reverse buttons on the back of tool
- Available in 3/8" square drive, 15QiMAX





131S-EA / 131S-2-EA

1/2" IMPACT WRENCH

- 610Nm Max.Torque in Reverse
- Adjustable power regulator
- Handle exhaust
- Pressure feed lubrication

\$379.00



2135QI

1/2" IMPACT WRENCH

- 1350Nm Nut Busting Torque
- Quiet tool, only 86 dBA
- Adjustable rear
- power dial Handle exhaust
- · Easy to use forward/reverse buttons on the back of tool



\$549.00

2235TIMAX

- 1830Nm Nut Busting Torque1230Nm max forward torque



2146Q1MAX / 2146Q1MAX-6

Lightweight only 3.5kg (Std. anvil model)

NEW

3/4" IMPACT WRENCH

2700Nm Nut Busting Torque

greater operator comfort

Easy to use forward/reverse

dial on the back of tool

Available in 1" square drive,

Innovative Pressure Gauge improves productivity and prolongs product life

Contoured composite housing for

SEE THE POWER • Innovative Pressure Gauge

2146Q2MAX

2236QTIMAX DXS2

- Patented Drive Xchange System™
 Breakaway Torque: 2034 Nm (1500 ft-lbs)

- (1500 tt-lbs)

 Titanium Hammer Case

 Power Settings: Three (3)

 Available drive sizes: 3/8, 1/2 and 3/4" (interchangeable)

 Available with 2" anvil (2236QTiMAX-2) and PIN anvil (2236QPTiMAX)

\$749.00 **\$799.00**

\$799.00

NEW

2175MAX

- 2715Nm max torque

- Lightweight at only 8.2kg
 Overall length 254mm
 360° adjustable handle
 Solid steel impact
- mechanism
- Swivel hose connectionChemical resistant
- steel core housing



2850MAX / 2850MAX-6

1" IMPACT WRENCH

- 2850Nm max torque
- Light weight at only 8.8kg
- Overall length 334mm
- Durable twin hammer mechanism
- Available with 6" anvil, 2850MAX-6



\$1799.00

\$1799.00

2922P1 / 2922P3

\$1199.00

3/4" AND 1" IMPACT WRENCHES

- 2700Nm Nut-busting Torque
- Free Speed: 5200rpm
- Pressure feed lubrication



2955B2

I ×

- Max Reverse Torque: 4500 ft-lbs (6100Nm)
 Free Speed: 3300rpm
 Blows per Minute: 700BPM
 Weight: 16kg
 Steel hammer case
 Aluminium motor housing and handle
 Assembled in

- Assembled in the USA











contact your distributor











HAND TOOLS

752000

47PC 1/4" SOCKET & ACCESSORY SET

Includes:

- 90 tooth sealed head ratchet, 3"&6" ext's & uni joint
 10 x SAE standard sockets: 5/32" - 1/2"
 10 x SAE deep sockets: 5/32" - 1/2"
 12 x metric sockets: 4, 4.5, 5, 5.5, 6-13mm
 11 x metric deep sockets: 4, 5, 5.5, 6-13mm



752003

66PC TORX & SPECIALTY BIT SOCKET SET

Includes:

- 5 x 1/4" & 7 x 3/8" Drive E-Torx® Sockets
- 8 x 1/4" & 5 x 3/8" Drive Tamper Proof Torx® Bit Sockets
- 16 x 3/8" Drive Hex Bit Sockets
- 8 x 3/8" Drive x 4 Inch Long Hex Bit Sockets
- 4 x 3/8" Drive x 4 Inch Long Torx® Bit Sockets
- 4 x 3/8" Drive XZN Triple Square Bit Sockets
- 3 x 1/2" Drive Torx® Bit Sockets
 1/2" Drive x M14 XZN Triple





7556XX

752018

12 tooth sealed head is
uni joint, bit adapter
24 x metric std & deep sockets: 8-19mm
18 x SAE std & deep sockets: 3/8-7/8"
5/8" spark plug socket
20 x scrawdriver bits

20 x screwdriver bits

\$351.00

PLIERS

- Forged Chrome Moly Steel Construction
- Precision Machined Jaws
- Textured Double-Dipped Handles for Comfort and Grip



755601 8" Slip Joint Pliers **755603** 8" Diagonal Plier **755606** 8" Long Nose Pliers 755608 10" Groove Joint Pliers 755628 Internal/External Snap Ring Pliers

• 72 tooth sealed head ratchet, 3" & 6" ext's,

\$65.00 \$65.00 \$65.00 \$87.00 \$87.00

752001

49PC 3/8" SOCKET & ACCESSORY SET

Includes:

- 90 tooth sealed head ratchet, 3",6"& 10" ext's Utour scales
 & uni joint
 9 x SAE standard sockets: 3/8"-7/8"
 9 x SAE deep sockets: 3/8"-7/8"
 12 x metric standard sockets: 8-19mm
 12 x metric deep sockets: 8-19mm



752008 / 752009

NON-SLIP WRENCH SETS

- Premium Chrome Vanadium Steel Construction
- Sets feature open ends with a non-slip design

 15° offset with extra-long handles
 752057 11pc METRIC LONG, SIZES: 8, 10-19mm 752058 11pc SAE LONG, SIZES: 1/4" - 7/8"



752013

7PC MASTER PLIERS SET

- Made from forged Chrome Moly steel
- Textured double-dipped grip for total comfort
- 6" diagonal & long nose, 7" linesman8" diagonal, long nose & slip joint



752002

54PC 1/2" SOCKET & ACCESSORY SET

Includes:

- 90 tooth sealed head ratchet
 17" flex handle, 5"&10" ext's & uni joint
 12 x SAE standard sockets: 9/16"-1-1/4"



752012

17PC MASTER SCREWDRIVER SET

Includes:

- 3" x 1/8, 3/16, 4" x 1/4, 6" x 3/16, 1/4, 5/16, 8" x 5/16, 3/8 Phillips: 3" x #0, #1, 1-1/2" x #2, 4" x #2, 6" x #1, #2, #3, 8" x #3
- Double Injection Soft Grip Trilobular Handles
- SVCM Alloy Steel Blades Sandblasted and
- Magnetized Tips



752017

66PC 1/4" MECHANICS TOOL SET

Includes:

- 72 tooth sealed head ratchet, 6" ext, uni joint, bit adapter, spinner handle
- 19 x metric std & deep sockets: 4-13mm 18 x SAE std & deep
- sockets: 3/16-1/2 14 x bit sockets
- 10 x screwdriver bits



\$263.00

Includes:

752019

- 72 tooth sealed head ratchet
 5" ext, 17" flex handle & uni joint
 11 x SAE std 12pt sockets: 1/2"- 1-1/8"
- 9 x SAE deep sockets:
 1/2"- 1-1/8"
- 12 x metric std 12pt sockets: 12-19mm, 21-24mm



752020

72 tooth sealed head ratchet, 3" & 6" ext's, uni joint, spinner handle, bit adapter. 20 x various metric sockets. 15 x various SAE sockets.

3/8"dr tools

• 72 tooth sealed head ratchet, 12" flex handle. 3", 6" & 10" ext's, uni joint, 3/8-1/4" adapter. 15 x various SAE sockets. 2 ea. SAE spark plug sockets: 5/8" & 13/16". 22 x various metric 6 sockets: 148.18mm spark plug sockets 14&18mm spark plug sockets. 9 x various bits











HAND TOOLS

752022

205PC MASTER TOOL SET

• This extensive set features 205 various 1/4", 3/8" & 1/2"dr tools

Includes:

- 3 x 72 tooth sealed ratchets. 92 x sockets
- 26 x wrenches
- Blow mould carry case with removable hinge





19PC RACHET & ACCESSORY SET

Includes:

- 3 x 90 tooth sealed head ratchet
- 3 x universal joint:
- 1/4"dr: 3" & 6" ext's, Spinner handle
 3/8"dr: 10" flex handle, 3, 6 & 10" exts,
- 3/8" F x 1/4" in M adapte
 1/2"dr: 17" flex handle,
 3", 5" & 10" ext's;
 1/2" F x 3/8" in



\$571.00

752032

11PC TAMPER-PROOF TORX PLUS BIT SOCKET SET

- 2-Piece Press Fit Socket Design
- Industrial-Grade S-2 Steel Bits with Zinc Phosphate
- Premium Mirror-Polish Chrome Vanadium Steel body
- Ingersoll Rand® Signature Vertical Knurling for Grip
- 1/4"dr 10IPR, 15IPR, 20IPR, 25IPR, 27IPR, 30IPR
 3/8"dr 40IPR, 45IPR, 47IPR, 50IPR, 55IPR



\$109.00

752041 / 752042

8PC NON-SLIP BIT SOCKET SETS

- · Patented twist design grips tighter as they turn.
- Removes damaged & rounded hex bolts with ease Can also be used as standard bit sockets
- 752041 8pc Metric. Sizes: 1/4"dr 3-6mm, 3/8"dr 7-10mm
- 752042 8pc SAE. Sizes 1/4"dr 1/8"-3/16", 3/8"dr 7/32"-3/8







752023

Includes:



752024

- Includes:
 1/4" & 3/8" sockets & bits
 Removes damaged fasteners up to 85% rounded
 Sockets made from premium chrome
- vanadium steel

 Bits made from industrial grade S-2 steel



\$417.00

752027 / 752028

\$351.00

8PC 3/8" HEX BIT SETS

- 2-Piece Press Fit Socket Design
- Industrial-Grade S-2 Steel Bits with Zinc Phosphate Finish
- Premium Mirror-Polish Chrome Vanadium Steel body


752027 Metric sizes 3-10mm 752028 SAE sizes 1/8"-3/8"



752035 / 752036

UNIVERSAL JOINT SOCKET SETS

- Premium Mirror-Polish Chrome Vanadium Steel Construction
- Ingersoll Rand® Signature Vertical Knurling for Grip **752035** 10pc METRIC. Sizes: 1/4"dr 10-13mm, 3/6"dr 14-19mm **752036** 7pc SAE. Sizes: 1/4"dr 3/8"-1/2", 3/8"dr 9/16"-3/4"





75204X

1/4" DR SOCKET SETS

- Mirror-polish Chrome Vanadium steel construction
- Ingersoll Rand® signature vertical knurling for grip
 Metric sets sizes 5, 5.5, 6-14mm
 SAE sets sizes 5/32"-9/16"



752043 11pc Metric Shallow Socket Set

752044 11 pc Metric Deep Socket Set 752045 11 pc SAE Shallow Socket Set 752045 752046 11 pc SAE Deep Socket Set

\$65.00 \$65.00 \$76.00 \$76.00

752031

12PC TAMPER-PROOF TORX BIT SOCKET SET

- 2-Piece Press Fit Socket Design
- Industrial-Grade S-2 Steel Bits with Zinc Phosphate Finish
- Premium Mirror-Polish Chrome Vanadium Steel body
- Ingersoll Rand® Signature Vertical Knurling for Grip
- 1/4"dr TT-8, TT-10, TT-15, TT-20, TT-25, TT-27, TT-30
- 3/8"dr TT-40, TT-45, TT-47, TT-50, TT-55



\$98.00

752039 / 752040

9PC NON-SLIP SOCKET SETS

- · Patented design grips tighter as they turn
- Removes damaged and rounded nuts & bolts
- Can also be used as standard sockets 752039 9pc Metric. Sizes: 1/4"dr 8-12mm, 3/8"dr 13-17&19mm

752040 9pc SAE. Sizes: 1/4"dr 1/4"-7/16", 3/8"dr 1/2"-3/4"



\$**76**.00

7520XX

3/8" DR SOCKET SETS

- Mirror-polish Chrome Vanadium steel construction
- Ingersoll Rand® signature vertical knurling for grip
 Metric sets sizes 8, 10-19mm
 SAE sets sizes 1/4"-7/8"



752047 11pc Metric Shallow Set 12pt. **752048** 11pc Metric Deep Set **752049** 10pc SAE Shallow Set 12pt.

752050 10pc SAE Deep Set

\$76.00 \$76.00 \$109.00 \$109.00







HAND TOOLS

75205X

1/2" DR SOCKET SETS

- Mirror-polish Chrome Vanadium steel construction
- Ingersoll Rand® signature vertical knurling for grip
- Metric sets sizes 12-19, 21, 22, 24, 27mm
- SAE sets sizes 1/2" 1-1/4"
- Supplied in blow-mould case



752051 12pc Metric Shallow Set 12pt. **752052** 12pc SAE Shallow Set 12pt. **752053** 12pc Metric Deep Set

\$98.00 \$109.00

752054 12pc SAE Deep Socket Set

752057 / 752058 LONG WRENCH SETS

- Premium Chrome Vanadium Steel Construction

- Extra long design for added torque
 15° offset with extra-long handles
 752057 11pc METRIC LONG, SIZES: 8, 10-19mm
 752058 11pc SAE LONG, SIZES: 1/4" 7/8"



75999X

90 TOOTH RATCHETS

- · 90 tooth precision machined gears
- · Sealed head for increased durability
- Ergonomic comfort Grip handle
- Chrome Vanadium steel with mirror-polish finish



759991 1/4" RATCHET **759992** 3/8" RATCHET 759993 1/2" RATCHET \$65.00 \$76.00 \$87.00

752026

- Drive Size: 1/4", 3/8" & 1/2"
 90 tooth precision machined gears
 Sealed head for increased durability
 Ergonomic comfort Grip handle
 Chrome Vanadium steel with mirror-polish finish



752055

11PC SOCKET SET ACCESSORY KIT

- Signature vertical knurling for easier handling
 Exceeds ANSI Standards for torque, fit & finish
 Chrome Vanadium Steel with Mirror-Polish Finish
- Includes:
- Universal Joints: 1/4", 3/8", 1/2" dr.
 Adapters: 3/8" M x 1/4" F, 3/8" M x 1/2" F, 1/2" M x 3/8" F

Premium Chrome Vanadium Steel

construction
Industrial-grade black Phosphate finish
Wide jaw design for better working range
Laser-etched size markings in SAE & Metric


• Extensions: 1/4" x 3", 1/4" x 6", 3/8" x 3", 3/8" x 6", 1/2" x 5"

75525X

752056

13PC 10" EXTENSION BAR SET

- Chrome Vanadium Steel with Mirror-Polish Finish
- Signature vertical knurling for easier handlingExceeds ANSI Standards for torque, fit & finish
- Includes:
- 1/4", 3/8" & 1/2" extensions



75999X

72 TOOTH RATCHETS

- · Compact teardrop head for added functionality
- Sealed head for increased durability
- Chrome Vanadium steel with mirror-polish finish



759997 1/4" RATCHET **759998** 3/8" RATCHET **759999** 1/2" RATCHET

SKXMXXX

IMPACT SOCKET SETS

 Ingersoll Rand impact socket sets are manufactured from Chromoly steel for exceptional strength, durability, and quality and laser-etched so you can see the socket size even after hundreds of uses. Every socket set is also backed by a lifetime warranty.



SK4M16a 1/2" Metric Socket Set Standard 16 piece

SK4M16La 1/2" Metric Socket Set Deep 16 piece

SK4M22a 1/2" Metric Socket Set Standard 22 piece \$164.00

\$197.00

\$219.00







INTERCHANGEABLE GAME-CHANGER

DRIVE EXCHANGE SYSTEM System"



- Patented DXS Drive Exchange System
- Interchangeable Anvils
- Patented Direct Greasing
- Titanium Hammer Case
- 2034Nm 'Nut-Busting' Torque
- QUIET Motor Design
- Compact Design
- Excellent Ergonom 75
- Assembled in the USA





Versatility meets power in the new Ingersoll Rand 1/2" pneumatic impact wrench. The Patented* Drive Xchange System ™ lets you switch out anvils without clunky adaptors that drain your tools power





Standard Friction Ring Anvil



2236QPTIMAX Standard Pin Anvil



2" Extended Friction Ring Anvil

HIGH VISIBILITY SERIES

Power you can see!



DXSK2M15X SOCKET SETS Includes 15 sockets (MM)12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32, 33, · Foam shadow board organizer 00000000000

MODEL

\$449.00 STANDARD \$499.00

BASE **MODELS**

2236QTiMAX 2236QTiMAX-2

DRIVE TYPE STANDARD

2" EXTENDED \$799.00 PIN

2236QPTIMAX

\$799.00

PRICE

\$749.00

DXSK2M15

DXSK2M15L

SORIES AVAILABLE

INTERCHANGEABLE

- 10 Anvils to choose from
- Std. length to 10" Ext.
 3/8", 1/2" and 3/4" Drv's



DEEP

INTERCHANGEABLE **ANVIL SETS**

7 Sets to choose from



DIRECT DRIVE SOCKETS





* Global Patents Pending

Available from:

Ingersoll Rand.

English © Copyright 2025
All prices include GST. All products were available in reasonable quantities at the time of printing this catalogue. Pneumatic Power will do all things reasonably possible to maintain stocks advertised but cannot be responsible for the unavailability of such products as a consequence of the failure of supplier or service providers to deliver within the specified period and any other circumstances beyond the control of Pengumatic Power impanse and for literative numess only. control of Pneumatic Power, images are for illustrative purposes only. Due to printing processes, colours in catalogue may vary from actual item. Freight charges may apply into regional areas.

RAW TOOLS

www.rawtools.com.au

Noel - 0409 660 943