



### KNIPEX TwinGrip® Slip Joint Pliers

- Unique combination: Front grip and side grip function, box joint, push button adjustment
- Very slim pliers let you work even in confined installation spaces with a narrow turning zone for fast results
- Made in Germany

Part No.	Adj.	Length Capacity Ø	Capacity Ø		Price
rart No.	Positions	mm	inch	mm	rnce
82 01 150	3	150	1/8 - 5/8	3-6	\$74.00
82 01 200	5	200	5/3 -7 /8	4-22	\$74.00
82 01 250	7	250	<sup>3</sup> /16 - 1 <sup>1</sup> /16	5-27	\$99.00







KNIPEX

### KNIPEX Cobra® ES

Water Pump Pliers Extra-Slim

- Slim head and joint design allow
- excellent access in confined spaces
   Front gripping serration for reliable hold on round parts like screws, bolts
- Now available in a compact 180mm size for improved versatility
- Optimised for service, maintenance and repair work across automotive and industrial applications
- Made in Germany

and wire rope

David No.	Adj.	Length mm	Capacity Ø		Duico	
Part No.	Positions		inch	mm	Price	
87 51 180	18	180	1 <sup>1</sup> /4	32	\$89.00	
87 51 250	25	250	1 <sup>1</sup> /2	40	\$94.00	





NEW

SIZE

# \*749.00



### **Diesel Injector Tester**

**307350** Mechanical 0-8700psi (0-600bar)

- Enables testing of diesel injectors by checking leakage, spray patterns, atomisation and cracking/opening pressure
- Transparent spray guard enclosure circulates fluid back
- Manufactured from high grade aluminium and steel Includes three adaptors Manometer (Dual Scale): 0-8700psi/0-600bar
- Adaptors M12 x 1.25, M12 x 1.50, M14 x 1.25, M17x 0.75







### FAMOUS TOLEDO

### **Harmonic Balancer Puller**

**304513** 3 Leg


- Ideal for the removal of harmonic balancers
- Eliminates removal of radiator and fan
- Hex: 24mm
- Leg step: 16mmSpread: 124mm
- Spread: 124mrReach: 40mm











- Utilises compressed air to remove dust and debris
- Working pressure: 90psi (6.2bar)
  Tube diameter: 6mm (1/4")
- Tube diameter: 6mm (1/4")Tube length: 600mm



NEW





### Feeler Gauge 303198 14 Blade Metric

- Adjust engine braking system as per OEM requirements/instructions
- Suitable for Volvo and Mack trucks
- Cranked blades
- Blade Length: 115mm
- Sizes: 0.2mm, 0.3mm, 0.5mm, 0.6mm, 0.8mm, 1.0mm, 0.045", 1.6mm, 2.0mm, 2.3mm, 2.5mm, 3.5mm, 3.6mm, 4.2mm



### KNIPEX EvoStrip Automatic Stripper 12 40 200

- For solid, multi-stranded and finely stranded conductors with plastic or rubber insulation from 0.03-10mm<sup>2</sup>
- Automatic adaptation prevents conductor damage
- Strips a wide range: 5 22mm, up to 25mm without a length stop
- Made in Germany



### FAMOUS TOLEDO

### Universal Press Support Tool 311021

- For safe and easy shop press work, including mounting and demounting jobs
- Infinitely adjustable to suit a myriad of objects and applications E.g. wheel hub bearings
- Creates three contact points for maximum stability and security, without any swivelling
- Features press plate 200 x 240 x 40mm, swivel plate for complete versatility and adjustable anvil bolts
- Made in Germany



















### WORKSHOP · WORKSHOP



### Pick & Hook Set 301043 Miniature - 4pc

• Ideal for scraping, scribing, marking, picking and seal



- Designed to measure the angle of rotation following pre-torque adjustment, where a torque angle adjustment is specified
- Provides the ability to measure a range of 0–360° in 2° increments and intervals of 10° and 30°



### **Torque Wrenches**

- Click-stop design with heavy duty cam for superior strength and durability
- Micrometer style adjuster enables precise torque setting
- Reversable thumb switch with 24 tooth ratchet head
- Supplied with calibration certificate and storage case







### **Hose Remover Set** 301151 2pc

 Designed specifically for manipulating the seal when removing or working with





Strike-Thru capabilities without causing handle damage

Strike-Thru Pry Bar 321043 900mm

Ideal for all automotive and heavy vehicle prying work Ergonomic, dual composite plastic with rubber inter-moulded handles designed for maximum comfort



- 321040 Automatic
- Simply adjust to desired spring tension, press firmly against work piece for automatic centre punch
- Made in Japan





### Long Reach Scraper 301247

Razor Style 280mm

- Ideal for scraping off gaskets, sealants, paint from mirrors, tiles and other flat surfaces Integrated storage
- compartment in handle
- Blade width: 40mm
- Overall length: 280mm



§ \$**59**.00



### **Breaker Bars** Standard Head

- Heat treated drop forged chrome vanadium steel with corrosion resistant mirror-chrome finish
- Square drive design with 180° rotating head for increased
- Replacement heads available

Sq. Dr.	Length	Price
3/8"	610	\$59.00
1/2"	610	\$69.00
3/4"	610	\$74.00

\$139.00



### Stainless Steel Rule Flush End

- Double sided with graduations and numerical markings on both upper and lower edges
  - Zero points on both flush ends





Part No.	Length	Width	Side Scale	Thickness	Tolerance	Price
321997	150mm	20mm	15mm	1.0mm	±0.15mm	\$21.00
321998	300mm	30mm	25mm	1.0mm	±0.15mm	\$41.00



### 301620 CR-Moly Polished 5pc

- Hardened chrome molybdenum steel taper punch in
- chrome finish • Five piece set supplied with plastic holster
- Length: 120mm
- Sizes: 2, 3, 4, 5, & 6mm



301599

301245

301246

### **Stainless** Steel **Scraper Set**

### **301651** 3pc

striking head

 General purpose stainless steel blade scrapers • Ergonomic rubber comfort grip handles featuring a

3/4"

- Easy hang hole moulded into handle
- Overall length: 220mm



### **301662** 3pc

- Manufactured from solid brass to prevent damage of hard surface materials
- Featuring a hexagonal or knurled shaft for superior grip
- Non sparking and non marring



### 321027 Strike Thru 4pc

- Strike-thru design with heavy duty steel end cap allows
- continuous blows without flaring handle
- Slip resistance handles manufactured from PVC with
- Length: 200, 300, 450, 600mm



### Feeler Gauges Metric and Imperial

- Straight blade design
- 301065: 38 blades include 3 brass blades


Part No.	Blade Length	Туре	No of Blades	Size Range	Price
301155	80mm	Metric/Imperial	38	0.038mm - 0.889mm (0.0015" - 0.035")	\$17.00
321669	300mm/12"	Metric/Imperial	25	0.038mm - 1.016mm (0.0015" - 0.040")	\$69.00
321669	300mm/12"	Metric/Imperial	25	0.038mm - 1.016mm (0.0015" - 0.040")	\$6



### **Rolled Head Pry Bar Set**

321076 Adjustable 3pc

- · High leverage design with smooth curved head
- Adjustable head 180° permits prying and lifting in confined area











### Torque Screwdriver 1/4" Sq. Dr.

CTD-2 Long Head

- Torque metered 1/4" Sq. Dr. screwdriver ideal for screws, bolts and hose clamps where a specific torque is required
- Ergonomic handle includes inbuilt torque meter viewing window to set, lock or adjust the torque unit
- Includes socket attachments: 6mm, 7mm and 8mm
- Range: 1-5Nm (0.5 Nm increments)





### WORKSHOP · WORKSHOP

### Cleaning Brush Sets 2pc

- Sturdy, compact and simple tools for cleaning confined spaces
- Suitable for rust, scale, ingrained dirt removal
- Curved: 220mm, Straight: 210mm

Part No.	Bristle	Price
301001	Steel Bristle	\$14.00
301002	Nylon Bristle	\$14.00
301073	Brass Bristle	\$22.00
301074	Stainless Steel Bristle	\$22.00





### Screw Extractor Set 301075 6pc

- For removal of broken screws, bolts or studs
- Utilises left hand thread design to lock and remove broken component
- For use on screws or bolts from 3-25mm





- Comprehensive kit designed for the removal of rusted, seized or stubborn nuts safely and without damage to the stud or bolt
- Features a flat round head design to allow operation in areas where working space is limited



### Lock-Grip Pliers Curved Jaw

- For better contact on bolt heads, nuts and round work
- Permits user to apply extra pressure across four points of contact on any style nut/bolt head

Part No.	Length	Jaw Width	Jaw Opening	Price
VG180	180mm	12mm	0-38mm	\$14.00
VG250	250mm	12mm	0-45mm	\$16.00



### Pick-Up/Retrieval Tool 301697

Claw Style Heavy Duty

- Featuring flexible shaft with spring loaded extendable retrieval claw function including magnetic tip
- Magnet Capacity: 1kg







### **Pump Up Pressure Sprayers**

• Ideal for most workshop liquids and solvents such as brake cleaner, degreaser, tyre shine, detergents, light acids and specialised lubricants

Part No.	Capacity	Working Pressure	Price
305153	1Litre	50-70psi	\$49.00
305154	2 Litre	50-70psi	\$59.00



- Tap & Die & File Master Set 321010 51pc
- Thread restoring kit for the repair and maintenance of damaged threads
- Suitable for restoring a wide variety of metric and SAE
- Includes tap and dies covering metric and SAE (UNC



### Twist Socket Set 321067 Single Twist 21pc

- To easily remove rounded out nuts or bolts
- 1/2" Sq. Dr. with 21mm hex
- 21 piece set including 2 hardened punches
- Suitable for nuts and bolts, exhaust bolts and wheel lock bolts/nuts etc





### Pick-Up Tools Magnetic Telescopic

- Features strong magnetic power for firm retrieval and pick-up of ferrous material
- Features pocket clip and telescopic body for adjustable reach

	440
ic	

Part No.	Telescopic Range	Magnet Size	Magnet Capacity	Price
301298	170-760mm	Ø 7mm	700g	\$24.00
301299	170-760mm	Ø 13mm	3600g	\$27.00

### **Circlip Plier Sets Heavy Duty**

- Feature a ratchet lock style mechanism to enable safe and easy removal and replacement of circlips
- Manufactured from heavy gauge tempered steel



Part No.	Pieces	Internal Capacity	External Capacity	Overall Length	Price
301800	18	12 to 90mm circlips	18 to 76mm circlips	270mm	\$129.00
301850	14	78 to 159mm circlips	89 to 165mm circlips	400mm	\$249.00



### **Inspection Mirrors** Telescopic

- Ideal for inspection in confined spaces
- Dual ball joint allows



Part No.	Туре	Mirror size	Telescopic Range	Mirror type	Price
301012	Square	50 x 88mm	215-490mm	Glass	\$17.00
301016	Round	Ø 50mm	200-355mm	Glass	\$14.00





## \$149.00

### **Plier Set**


### TPSA01 4pc

- Professional trade quality plier set includes combination. diagonal cutter, long nose and multi-grip pliers
- Chrome molybdenum with black phosphate finish
- Supplied in high grade EVA foam tray



### **Long Nose Plier Set**

- Premium trade quality set features three different tip styles including straight, 45° bent and 90° bent
- Manufactured from chrome molybdenum with PVC dipped handles
- Supplied in high grade EVA
- Overall lengths: 280mm







- Designed for installation and removal of constant tension style hose clamps
- Flexible cable allows extra reach for difficult applications Overall length: 210mm
- Length (Flexible head): 630mm (24") • Jaw opening: 0-53mm
- Jaw width: 21mm





\$37.00

- For cutting, gripping and manipulating components and wires, used in fencing and farming applications Combination plier including
- three specially designed wire cutters
- Jaw opening: 0-52mm
- Jaw width: 13mm











### ELECTRICAL. ELECTRICAL. ELECTRICAL. ELECTRICAL. ELECTRICAL. ELECTRICAL. ELECTRICAL.



## Cutters PC6 150mm

- Hardened precision cutting edges for cutting and twisting soft wire
- Suitable for use in fine electrical and electronics applications
- Ideal for cutting plastic e.g cable ties
- Jaw length: 20mm
- Jaw opening: 0-20mm



### **Crimping Plier Kit**

### **302018** Ratcheting Multi-Head

- Crimping plier kit for various automotive terminals
- Suitable for ignition leads, engine wiring harness, power cables, speaker and AV cables and etc
- Seven interchangeable crimp dies and one ratcheting



### **Ratcheting Crimping Pliers**

### 302020 High Leverage 325mm

- Heavy duty ratcheting crimping pliers for fast, efficient and easy crimp work
- Designed to achieve correct compression and superior electrical connection
- Crimp range: 10mm<sup>2</sup> (8 B&S), 16mm<sup>2</sup> (6 B&S), 25mm<sup>2</sup> (3 B&S), 35mm<sup>2</sup> (2 B&S)






### **Soldering Irons**

- Ergonomic bakelite handle with rubber grip which is comfortable, non conductive & heat resistant
- Nichrome with sheet mica covered element & long life tip
- Reliable service life & ongoing performance

Part No.	Voltage	Wattage	Heat Range	Price
302100	240V AC	50Hz 25W	390-420°C	\$28.00
302101	240V AC	50Hz 40W	450-480°C	\$29.00
302102	240V AC	50Hz 60W	460-480°C	\$31.00
302103	240V AC	50Hz 80W	480-500°C	\$33.00
302104	240V AC	50Hz 100W	480-500°C	\$46.00







### **Wire Insertion** Tool Set 302049 5pc

- Ideal for feeding wire through protective sheaths, firewalls and interior door trims
- Overall Lengths: 100 & 200mm
- Extension Openings: 6 & 11mm







### **Desoldering Pump/Solder Sucker**

- Used for the safe & easy removal of molten solder during soldering repair work, ideal for circuit boards
- Spring loaded pump
- Hold pump over molten solder and press release button
- ESD safe conductive metal housing

• Overall length: 250mm

**Soldering Aid Tool** 

• For holding wires together so

by inserting wires under

is achieved for soldering

• Insulated PVC dipped handles

they can be soldered. Used

holding clips and manoeuvring


together until correct distance

### Circuit Tester 302144 Heavy Duty 6-24 Volt

- Heavy duty circuit testing tool
- High impact transparent handle, steel probe, replaceable
- bulb, strain relief spring lead design and crocodile clip • Voltage Range: 6-24V (DC)
- Lead Length: 1500mm

\$29.00

### **Battery & Alternator Voltage Tester 302147**



- For use on 12V vehicle applications only
- Manufactured utilising plastic body with magnetic backing for hands free







LED indication lights illuminate green for ground and red

Part No.	Flexible Cord	Voltage Range	Overall Length	Price
302191	700-3000mm	6-24V (DC)	210mm	\$79.00
302192	700-3000mm	12-48V (DC)	210mm	\$109.00

### **Electrical Disconnect** Pliers 302124 200mm • Unlocks and removes push tab connectors Reach: 70mm • Jaw opening: 0-50mm





# Adjustable Spark Plug Tester

### Brass Cleaning Brush 303004 Double Sided

- Handy cleaning tools for battery cleaning work
- Ideal for the removal of dirt, corrosion and rust
- Heavy duty units built for the professional
- Double sided brass cleaning bristles

### 302167 Flexible Lead

- Flexible lead type spark plug tester
- Test for non-start conditions and for spark strength
- Simulates spark plug under compression load
- Standard ignition minimum spark plug gap indicated by 'S' • Electronic ignition minimum gap (10mm) indicated by 'E'
- When gauging voltage turn tester screw



## **Circlip Plier Set**

### 303197 Heavy Duty 4Pc

- Plier set for internal and external circlips
- Anti-slip PVC handles
- Heavy duty steel with black phosphate finish
- Circlip Size Range: 10-60mm
- Tip Size Range: Ø1.2 1.8mm
- Overall Lengths: 145-185mm 4pc set







- For safe efficient and damage free removal of steering wheel airbags
- Suits most vehicles including BMW. Volkswagen, Audi, Renault, Mercedes-
- 1/4" Sq. Dr. torx and hex sockets



### **D-Sub Deutsch 4 Way Indent Crimpers**

- Crimps round barrel contacts, pins or sockets
- Built in locator ensures accurate positioning of the pin & socket prior to crimping Full cycle ratchet ensures consistent, reliable crimping

Handy tool for Harley-Davidson & Caterpillar mechanics

• Superior pull strength with an adjustable pin height locator





Part No.	Туре	Price
321024	AWG 26-20, 0.14-0.5mm <sup>2</sup>	\$69.00
321025	AWG 20-12, 0.5-4.0mm <sup>2</sup>	\$69.00
321093	AWG 16-18, 1.5-1.0mm <sup>2</sup>	\$69.00
321094	AWG 20-22, 0.5-0.3mm <sup>2</sup>	\$69.00
321854	AWG 12-14, 4.0 - 2.5mm <sup>2</sup>	\$69.00



### Crimper, Cutter & Stripper WS665 Heavy Duty 205mm

- Heavy duty multi-application tool for
- crimping, cutting and stripping Suitable for insulated and non-

and grip

- insulated terminals Plastic handles with rubber intermoulds for maximum comfort
- Manufactured from quality alloy steel with black oxide finish for increased service life










### MECHANICAL SERVICE · MECHANICAL SERVICE · MECHANICAL SERVICE · MECHANICAL SERVICE · MECHANICAL SERVICE

### **Pilot Bearing Puller** (3 Jaw) 245464 Mechanical

- Compact internal pilot bearing puller designed to extract flywheel spigot bearings
- Suitable for removing spigot bearings, alternator and pump bearings etc.
- Adjustable support legs with locking screws
- Internal diameter range: 13-45mm



### Twin & Triple Leg **Puller & Bearing** Separator **Combination Kit 265000**



- Includes 75-105mm bearing separator
- Manufactured from drop forged high quality steel and heat treated
- Supplied in a blow mould storage case
- Capacity: 10 tonne
- Spread: 180mm, Reach: 425mm



### Slide Hammer Diesel Injector Puller Kit

304042 Heavy Duty

- Heavy duty universal puller kit suitable for the removal of the most stubborn and difficult diesel injectors
- Suitable for use on Bosch and Delphi diesel injectors
- Supplied in heavy duty storage case



### **Diesel Injector Puller Adaptor Set**

### 304042A 21pc

- Universal diesel injector adaptor set suitable for removing stubborn and difficult injectors
- Applicable for most common rail diesel engines
- Supplied in heavy duty storage case
- User guide included





### **Harmonic Balancer** Remover 304810 Ford

- Removes vibration damper, protects pulley
- Fits Ford Kuga, Ranger, Transit (2018 onwards)
- Engine codes: BC2X, YL2X,







### **Portable Oil Drain Pans**

Storage and evacuation oil drain pans

Part No.	Capacity	Price
305090	10 Litre	\$49.00
305091	17 Litre	\$79.00



### **Fluid Change Syringes**

- For neat, clean and accurate fluid suction and
- Suitable for engine oil, gear oil, differential oil etc
- Clear chamber allows for easy viewing and reduces cross

Part No.	Capacity	Extension Hose	Price	
305152	0.2 Litre	200mm	\$54.00	
305151	1.5 Litre	400mm	\$109.00	



### **Syringe For Fuel Filling/Extraction**

- Specialty syringe designed for Petrol and Diesel fuel filling and extraction
- Ideal for priming diesel fuel system after fuel filter service to prevent air lock
- Open/close twist valve is easy to use and prevents overfilling and spillage

### **Transmission Filling Kit**





- **309253** Stick on
- wheel balancing weights
- Overall length: 220mm





### **Brake Bleeder & Fluid Extractor 310005**

- Air operated brake bleeder simplifies bleeding of brake and clutch systems in automotive applications
- Capacity: 1L





### Brake Spring Hook 310278

Heavy Duty Truck 630mm

- Ideal for removing brake return springs
- Manufactured from durable heat treated carbon steel
- Shaft diameter: 13mm
- Overall Length: 630mm





### **Brake Caliper Wind Back Kit**

### 310378 Universal Adaptors

- Universal brake caliper wind back kit applicable for both right and left hand threaded pistons
- Adjustable adaptors suitable to most vehicles
- Adaptor size range: 22 37mm



### 311018 Pneumatic

- Specialised tool designed to stretch the CV boot over the CV joint without the need to dismantle the CV shaft
- Suitable for most CV boots
- Working air pressure: 72-113 PSI
- Air inlet size: 1/4"BSP thread




### **Earless CV Boot Clamp Plier**

- Specialty tool for installing and removing earless boot clamps
- Jaw Opening: 58mm
- Overall Length: 240mm









attachment Manufactured from drop forged alloy steel to maximise strength and durability

Forks threads on to striking handle or air hammer

- Sizes: 18, 24 and 29mm
- Air hammer handle: 180mm, Striking handle: 200mm



- on Macpherson strut type suspension Double ended jaws with attachable security hooks for
- added safety and control • Suitable for passenger vehicles and light commercial
- Spring coil Ø (Max): 15mm (5/8")
- Outside coil Ø (Max): 150mm (6")
- Uncompressed length (Max): 250mm (10")



- Replaces inner tie rods without the need to remove the steering rack
- Ideal tool for all steering service and repair work
- Unique design prevents damage to steering components • Universal tool with adjustable sizing to suit a variety of
- Operating capacity: 33-42mm



### **Master Bearing Race & Seal Drives**


race seat, bearings and seals • Simply twist head to adjust jaw size

• Universal tool for replacing

9.5 - 50 \$199.00 Aluminium body with 321085 18 - 90 \$229.00 hardened steel striking cap







- Inside diameter range: 34-80mm
- Outside diameter range: 44-90mm
- Threaded rods: M10, M12, M14, M16, M18







### KNIPEX QUALITY - MADE IN GERMANY · KNIPEX QUALITY - MADE IN GERMANY · KNIPEX QUALITY - MADE IN GERMANY



KNIPEX MultiCrimp® 97 33 02

high-quality crimps every time





• Universal professional-grade crimping pliers with round magazine

• Quick and easy die change without additional tools

and five interchangeable crimping dies for non-insulated open plug type

end sleeves and non-insulated terminals/tube/compression cable lugs

Built-in ratchet mechanism with releasable lock ensures consistent,

Round magazine holds up to five dies securely and clips onto the belt for







### **End Cutting Nippers**

- For twisting and cutting binding wire used in concrete mesh and steel fixing applications
- The original and the best nippers

Part No.	Length	Cı	PRICE		
raicito.	mm	Soft Wire	Medium	Hard Wire	THICE
68 01 160	160	4.0mm	2.8mm	2.3mm	\$49.00
68 01 180	180	4.0mm	3.2mm	2.5mm	\$54.00
68 01 200	200	4.0mm	3.5mm	2.8mm	\$55.00
68 01 280	280	4.5mm	4.0mm	3.2mm	\$59.00



### Ergostrip® Universal Dismantling Tool 16 95 01

- For the fast and precise dismantling and stripping of all common round and damp-proof installation cables (e.g. NYM cable 3 x 1.5 mm² up to 5 x 2,5 mm<sup>2</sup>), data cable (e.g. twisted pair) and coax cable
- Innovative, ergonomic pistol grip design for easy cutting, stripping and longitudinal cut of the sheath
- Stripping device for cross-sections 0.2; 0.3; 0.8; 1.5;







## \$79.00

easy access and storage

### KNIPEX Cobra®

Water Pump Pliers

- Push the button for adjustment on the workpiece
- Fine adjustment for optimum adaptation to different sizes of workpieces and a comfortable handle width
- Self-locking on pipes and nuts: no slipping on the workpiece and low handforce required

Part No.	Length mm	Pipe Ø inch	Pipe Ø mm	Nuts Ø mm	Price
87 01 250	250	2"	50mm	46mm	\$79.00
87 01 300	300	2 <sup>3</sup> /4"	70mm	60mm	\$114.00
87 01 400	400	31/2"	90mm	95mm	\$195.00
87 01 560	560	4 1/2"	115mm	120mm	\$359.00

## \$189.00

### **Heavy Duty Power Pack** 00 20 11S 3pc

- Three piece plier set including popular KNIPEX Cobra® (250mm), **Combination Pliers** (200mm), High Leverage Diagonal Cutters (200mm)
- Essential tools
- Long service life
- Supplied in a deep drawn plastic tray





### Stripping Knife 16 50 145

with Ratchet Function

- Ratchet function: easy cutting even for a variety of cable
- Versatile blade with three cutting areas for round and length wise cuts
- Cuts very hard or tough plastic sheaths up to 7 mm wall







### **Mixed Plier Set** 00 20 01 V08 4pc

- Set of top four selling KNIPEX Pliers stored in an EVA foam tray
- Contains: Combination Pliers 200mm, Long Nose Cutting Pliers 200mm, High Leverage Diagonal Cutter 200mm and KNIPEX Cobra® Water Pump Pliers 250mm
- For all common tool trolleys and workbenches





### KNIPEX CoBolt® Compact Bolt Cutter

71 01 200R Fencing Grade 200mm

- For soft and hard wire as well as piano wire • Cuts bolts, nails, rivets, etc. up to 5.2 mm dia.
- Most efficient joint design ensures exceptional cutting





## \$189.00



### Precision Circlip Plier Set 00 19 57 Tool Roll

- Contains four KNIPEX precision circlip pliers in tool roll
- With inserted tips for reliable work, heavy duty in continuous operation
- Internal straight tip 12 25 & 19 60 Ømm
- External straight tip 10 25 & 19 60 Ømm

## 62.00



### Knips® 78 61 125 125mm

- Precision pliers for ultra fine cutting work, e.g.in electronics and fine mechanics
- Precision shaped tips cut wires resting on a board from

**KNIPEX ComStrip Automatic Stripper** 

For stripping solid, multi-stranded and finely stranded

Fine adjustment allows precise setting of the cutting

depth for special materials or extreme temperatures

conductors from 0.2 to 6 mm<sup>2</sup> with standard insulation

• The compact wire stripper for beginners and

without manual adjustment



**Q**.00

**NEW** 

**DESIGN** 

12 62 180 195mm

professionals



## \$549.00



### Precision Circlip Plier Set 00 19 58 V02 8pc

- Eight popular circlip pliers for internal and external circlips
- Tool roll made of hard-wearing polyester fabric
- With practical, adjustable quick release fastener
- Internal straight tip 12 60 Ømm
- External straight tip 10 60 Ømm



**HOT PRICE** 

### 1000V **Screwdriver Set** 00 20 12 V01 6pc

- Set of six slim shaft Phillips® and Slotted
- Ergonomically optimised dual component handle for fatigue reduced work and optimum transmission of force
- Handle design prevents rolling
- Burnished tip. insulating multicomponent handle









### **12 42 195** 195mm

- Stripping without re-adjustment from 0.03 to 10.0 mm<sup>2</sup> • Improved knife geometry - robust and more durable
- · Optimised handle design with more comfort
- Recessed wire cutter
- Fully automatic adjustment to all single-, multi- and fine-stranded conductors with PVC insulation and a  $number\, of\, special\, insulations\, throughout\, the\, entire$ capacity range of 0.03 to 10.0 mm<sup>2</sup>

# • Ground, very sharp cutting edges without bevel for flush



### 1000V Safety Tool **Set 00 20 12** 3pc

- Essential electrical pliers for every job
- Tools in a plastic deep-drawn tray with transparent lid
- Contains: Combination Pliers 180mm, Long Nose Cutting Pliers 200mm, Diagonal Cutter 160mm













MADE IN JAPAN · MADE IN JAPAN

**HEAVY** 

### **Rod Cutter & Bender HITRC16B**

- Two-in-one combination tool, designed for cutting and bending of concrete reinforcing rods up to 180°
- Extra long tubular steel handles provide enough leverage to make for easy cutting and bending
- Capacity: 16mm



# **HOT PRICE**

## DUTY

### **Heavy Duty Bolt Cutters High Tensile**

- · Recommended for constant, extra heavy duty use
- These high tensile silver jaw cutters have a short, high tempered jaw edge with extra treatment on the cutting edge. As a result, the silver jaw cutter provides exceptional strength and durability
- Suitable for cutting concrete reinforcement mesh and for production line use, and for any constant work where longevity of the tool is required
- Maximum hardness of material to be cut: Brinell 450/ Rockwell C48, 162kg/mm<sup>2</sup> or 110 tonnes/sq.in





Part No.	Length	Cutting Capacity mm			Weight	Type of Jaw	PRICE
1 411 1101	mm	Soft Metal	High Tensile	Hard Metal	Kg	i i jpe oi sum	7 11102
HITNBC0750S	750	13	8	9	4.20	Centre Cut	\$259.00
HITNBC0900S	900	16	9	10	6.40	Centre Cut	\$349.00
HITNBC1050S	1050	19	10	11	8.60	Centre Cut	\$439.00



# Sykes-Pickavant

### PROFESSIONAL TOOLS · PROFESSIONAL TOOLS · PROFESSIONAL TOOLS · PROFESSIONAL TOOLS · PROFESSIONAL TOOLS

### **HOT PRICE**

### **Hydraulic Puller & Separator Kit**

155200 1150mm

- Makes 4 different twin/triple leg pullers, plus bearing separator kit
- Supplied in metal case
- Spread: 50-150mm Reach: 150mm
- External Spread: 20-105mm
- External Reach: 876mm
- Made in England

# 1500 Series

## **Hydraulic Ram Kit**

- Renowned globally for quality and reliability
- Rated to 80kN providing 8 tonnes of force with minimal effort
- Grease filled bore for consistent high performance
- Made in England



### **Hydraulic Internal Extractor, Puller** & Separator Kit - Master Set 155900

- Makes 10 different twin/triple leg pullers, plus heavy duty bearing separator kit and internal extractor kit
- Supplied in metal case
- Spread: 20-250mm
- Reach: 250mm
- External Spread: 20-140mm
- External Reach: 876mm
- Made in England





### **Professional LED Pocket** Pen Light 300600

- Bright and robust pocket pen light for quick and easy illumination of dark work areas







- Multifunctional work light
- Magnetic 180° Tilt base



# **Professional LED**



- fold out flood light with normal and eco modes, rear flood light and direct beam top light
- Magnetic





### **Professional LED** Slimline Work Light 300602

- Ultra-bright and lightweight slim work light illuminates hard to reach places with ease
- Magnetic
- Dimmable





# Made in Germany

### MADE IN GERMANY · MADE IN GERMANY

### Hollow Wad Punch Set 140901 19pc

- For stamping out or producing gaskets and seal rings from materials such as rubber, leather, felt, plastic, cork, fabric or similar components
- Multi-layered wooden boards or polyamide boards should be used as a base impact support for stamping
- Dip-coated lacquered finished with laser engraved
- Size Range





### Chisel & Punch Tool Roll RCP11 11pc

- Set of three chisels, seven parallel pin punches and one taper punch in handy tool roll
- Flat Cold Chisels: 150, 200 & 250mm
- Parallel Pin Punches: 150mm x 2, 3, 4, 5, 6, 8 & 10mm
- Taper Punch: 120mm x 3mm
- All neatly encased for ease of access and practical storage





### **Parallel Pin Punch Set** 425170 6pc

- Set of six parallel pin punches in handy plastic stand
- Punch sizes: 3, 4, 5, 6, 8, 10mm • Length: 150mm



### Chisel & Pin Punch Set RCPFT8 8pc

### Set of eight chisels and punches

• Neatly stored in high quality EVA foam tray


• Flat Cold Chisels: 100, 200 & 300mm

- 150mm x 2, 3, 4, 5 & 6mm
- Parallel Pin Punches:





### Screw Extractor Set 471904 Dual Edge 5pc



- The new generation of screw extractors, tapered flute design (patented)
- High-strength steel for greater resistance to breaking and rounding out







- Set of eight punches in durable fabric wallet
- Parallel Pin Punches: 150mm x 3, 5 & 6mm
- Centre Punches: 120mm x 4, 5 & 6mm
- Taper Punches: 120mm x 5 & 6mm









# TRIDON MEGA TOOL SALE 2025

**AVAILABLE 1 OCT - 31 DEC 2025 · ALL PRICES INCLUDE GST** 





### METRINCH

### Standard Socket Set MET-0420

1/2" Drive 17pc

- This 17 piece set equals a 58 piece conventional set
- Fits 10-32mm and 3/8 to 1 1/4 SAE
- Grips old, damaged and rounded nuts
- Drop forged chrome vanadium steel



### 

### **Hand Wire Rope Cutter**

HITHWC06 190mm

- Designed for cutting all soft and hard steel cable and wire
- Cuts copper aluminium 6.0mm, wire rope 2.5mm, ACSR 2.4mm
- Compact and lightweight, allows for access into restricted areas
- Made in Japan





### Slide Hammer Puller Set Front & Rear Hub 245300

- Multi-purpose design for removal of front and rear hubs, bearing oil seal bushes and flange type axles
- Includes slide hammer with multiple attachments including 2 and 3 jaw internal and external puller, front and rear hub pullers and various accessories
- Slide hammer: 2.3Kgs

\$69.00



### Sykes-Pickavant。

### **Thread Restorers**

- Designed for the restoration of damaged or worn threads
- Suitable for both left and right hand threads
- Ideal for where conventional dies cannot be used

Part No.	File Length	Overall Length	Thread	Pitch Size
015600	75mm	215mm	BSW/BS	11, 12, 14, 16, 18, 20, 22, 26
015601	75mm	215mm	SAE/UNF	12, 13, 14, 16, 18, 20, 24, 28
015602	75mm	215mm	Metric	0.75, 1, 1.25, 1.5, 1.75, 2, 2.5, 3
015603	75mm	215mm	BSP	11, 12, 14, 16, 19, 20, 22, 28



### KNIPEX DPT50 Pipe Cutter 90 23 02 BK

- Designed for PVC, PP and PE pipes with wall thickness of 2.5 - 3.5 mm
- Cuts and chamfers 32, 40 and 50mm plastic pipes in a single step
- Made in Germany





- Contains four popular KNIPEX pliers for highest performance
- Includes: KNIPEX Cobra® Water Pump Pliers 250mm, Combination Pliers 200mm, Long Nose Cutting Pliers 200mm, High leverage Diagonal Cutter 200mm
- **Made in Germany**



### KNIPEX PV MultiCrimp® 97 33 03

Crimping Pliers with changer magazine

- Universal, high-performance crimping pliers of professional quality for photovoltaic systems
- Just one tool with three crimping dies for MC4®/MC4® Evo 2, uninsulated cable connectors and wire ferrules
- Made in Germany







### KNIPEX ErgoStrip® PV Stripping Tool 16 95 03



- For fast and precise stripping of solar cables with 4 and 6mm² (e. g. H1Z2Z2-K) and all common round and damp-proof installation cables (e.g. NYM cable  $3 \times 1.5 \text{mm}^2 \text{ up to } 5 \times 2.5 \text{mm}^2$
- Innovative, ergonomic pistol grip design for easy cutting, stripping and longitudinal cut of the sheath
- **Made in Germany**



### **Combustion**

### Gas Leakage Test Kit 304000 • Diagnose cylinder head and gasket leaks by detecting the presence of combustion gases

- in the cooling system universal cone adaptor suitable for most
- Includes 250ml detector fluid
- Supplied in storage case
- User guide included





**Combustion Gas Leakage** 

Test Fluid 304000A

• Replacement 250ml detector fluid





### **Compression Tester Kit**

304600 Diesel Master 1000psi

- Professional master compression tester kit for diagnosis of compression related problems on diesel engines
- Comprehensive kit includes liquid filled dual scale gauge (1000psi/70bar) with a wide range of glow plug adaptors, dummy injectors and a universal clamp/ adaptor set
- Supplied in custom foam tray in plastic hard case
- Covers most of the Australian car parc







## RAW TOOLS

www.rawtools.com.au

Noel - 0409 660 943

0386-25 Prices valid 1 October to 31 December 2025. Prices include GST. Please refer to the relevant Tridon catalogues for more comprehensive product information. As participating stores are independant businesses, they reserve the right to set their own selling prices. Pricing throughout this publication is the recommended trade price and may vary from store to store. Every effort has been made to ensure stocks are available at the time of printing. Should any item not be in stock on placement of orders, stores will endeavour to procure those published items. Product images are for illustration purposes only. Produced by Tridon Australia Pty Ltd ACN 001 398 698 ABN 90 001 398 698













